Order #XXXXX - ECO-2C Podium


Item	Qty.	Description
1	1	13.5" x 28.681" Side Panel
2	1	27.252" x 13.5" Bottom Panel
3	1	13.5" x 29.429" Side Panel
4	1	28" x 13.5" Top Panel
5	1	Left Door Panel
6	1	Right Door Panel

27.681" x 25.504" Infill Panel


Steps:

- 1) Connect assembled panels [1/2] & [3/4] together, with Infill Panel [7] inserted.
- 2) Attach Door Panels [5,6] to assembled counter body.
- 3) Install Legs to bottom of counter using bolts
- 4) Connect threaded stud of Standoff Barrels to nut serts in Counter Top, as shown in detail.
- 5) Attach Counter Top to top panel using bolts as shown.


** Note: Panels [1-2] and [3-4] are permanently connected with a hinge.



BACK VIEW



FRONT VIEW





General Setup Instructions


- •The setup instructions are created specifically for your configuration.
- •Setup instructions are laid out sequentially in levels, including exploded views and a logical series of steps for assembly. We encourage you to study the instructions before attempting to assemble your exhibit.


Cleaning and Packing

- •Use non-abrasive cleaners when cleaning extrusions or ECO Glass inserts.
- $\bullet \mbox{Use}$ mild cleaners and soft materials such as cotton to clean all laminates.
- •Keep exhibit components away form extreme heat and long exposure to sun light. This will prevent warping and fading.
- •Retain all packing material for ease of re-packing. This protects the exhibit components and keeps each part organized.

Disassembling


•When disassembling exhibit, tighten all setscrews to prevent loss of hardware in the shipping process.






Hex Tool for Assembling Exhibit


Extrusion Lock Connectors



Numbering Instructions for Setups/Packing




Inline Connection between Extrusions





Baseplate Connection for Vertical Extrusions



Top View of Each Level







Top View of Each Level

